

12. Modrall JG, Joiner DR, Seidel SA, Jackson MR, Valentine RJ, Clagett GP. Superficial femoral-popliteal vein as a conduit for brachiocephalic arterial reconstructions. *Ann Vasc Surg* 2002;16:17-23.
13. Wells JK, Hagino RT, Bargmann KM, Jackson MR, Valentine RJ, Kakish HB, et al. Venous morbidity after superficial femoral-popliteal vein harvest. *J Vasc Surg* 1999;29:282-9; discussion 289-91.
14. Ruotolo C, Plissonnier D, Bahnini A, Koskas F, Kieffer E. In situ arterial allografts: a new treatment for aortic prosthetic infection. *Eur J Vasc Endovasc Surg* 1997;14(suppl A):102-7.
15. Noel AA, Gloviczki P, Cherry KJ Jr, Safi H, Goldstone J, Morasch MD, et al. Abdominal aortic reconstruction in infected fields: early results of the United States cryopreserved aortic allograft registry. *J Vasc Surg* 2002;35:847-52.
16. Young RM, Cherry KJ Jr, Davis PM, Gloviczki P, Bower TC, Panneton JM, et al. The results of in situ prosthetic replacement for infected aortic grafts. *Am J Surg* 1999;178:136-40.

Submitted Dec 13, 2003; accepted May 13, 2004.

#### CORRECTION

**In: “Effect of improved endograft design on outcome of endovascular aneurysm repair” (Torella F. *J Vasc Surg* 2004;40:216-21).**

In Table V, the values for procedure-related complications are incorrect. The correct figures are 159 (6%) for current devices and 123 (10%) for withdrawn devices ( $P < .0001$ ).